	<u>StudySite.org</u>
Test Booklet Serial No.	101307
Test Booklet Code	ABC

Candidate's Roll No.			

Time: 2 hours

Maximum Marks: 100

Read the following instructions carefully before you begin to answer the questions.

This Booklet contains questions in English only

WRITTEN TEST FOR THE POST OF PHARMACIST - AUGUST 2014

INSTRUCTIONS TO CANDIDATES:

- 1. Before you start please check whether:
 - a. The Test Booklet Serial No. and the OMR Answer Sheet Serial No. are same.
 - b. All the pages in the question book are in order, and intact; and
 - c. Questions 1 to 100 are available.

Note: If you find any defect/s in the above mentioned points in this Test Booklet/OMR Sheet, you must inform the Invigilator and get both of them replaced with another set immediately.

- 2. Use only the **BLACK/BLUE BALL POINT PEN** that is provided to you to write/mark in the answer sheet.
- 3. Write your Roll Number in the box above.
- 4. This Booklet contains 100 questions
- 5. All the questions carry equal marks. Each Correct response will be given 1 (One) mark.
- 6. Negative marks will be there for wrong answers. 0.25 marks will be deducted for each wrong answer.
- 7. You have to use only the OMR Answer Sheet which is given along with this Question Booklet for answering the questions. You must complete the details in the prescribed places in the OMR Answer Sheet failing which your OMR Answer Sheet will not be evaluated.
- 8. The questions are of multiple-choice type. FOUR suggested answers A, B, C and D follow each question. Only one of them is the most appropriate. Select the most appropriate answer and DARKEN THE CORRESPONDING OVAL IN THE ANSWER SHEET. For eg:

- 9. ONLY ONE answer is to be darkened for each question. No correction is feasible as the marking is to be done with pen. Marking of wrong options as well as multiple markings will be treated as wrong and negative marks will be awarded accordingly.
- 10. As the Answer Sheet will be evaluated by a machine only, the marking of the answers by shading of the ovals may be done carefully.
- 12. Rough work should not be done on the answer sheet or in the Question Booklet other than in the 'Space for Rough Work' provided at the end of the Question Booklet.
- 13. Mobile phones, wireless communication devices or any other devises/equipments are completely banned within the examination halls/rooms. Candidates are advised not to bring any such devises/equipments into the examination hall/room even by switching them off as these will not permitted inside the hall/room. The candidature of those candidates who do not comply with these instructions will be cancelled without further notice and they will not be allowed to appear in the written test.
- 14. This booklet should be **RETURNED INTACT** at the end of the examination failing which the candidature of the candidates will be cancelled without intimation and his/her Answer Sheet will not be evaluated.

StudySite.org StudySite.org

- 1. Artificial tears may contain
 - a) Gentamicin
 - b) Atropine
 - c) Phenylephrine
 - d) Carboxymethyl cellulose
- 2.In DTP vaccine, P corresponds to
 - a)Pneumonia
 - b) Whooping cough
 - c)Poliomyelitis
 - d)Yellow fever
- 3. Nasal spray should always be administered with the patient in an up-right position ce.ox
 - a) avoid systemic absorption
 - b) enhance systemic absorption
 - c) avoid local action in nose
 - d) avoid first pass effect
- 4. Purified water of IP grade can NOT be obtained by
- a) Filtration
- b) Distillation
- c) Ion exchange
- d) Reverse osmosis
- 5. To avoid expiry of drugs in store following procedure should be followed
- a) First in first out
- b) First in last out
- c) Early expiry first out
- d) Late expiry first out
- 6.Lead period for getting a supply in store is
 - a) Time required to get the stock from the date of order
 - b) Time required to get the stock from stock falls reorder level
 - c) Time required to get the stock from the next alternate supplier
 - d) Half of the shelf life of the drugs ordered or in stock
- 7. The following are drug therapy problems except
 - a) an adverse effect from a medication.
 - b) symptoms caused by undertreatment.
 - c) a drug-drug interaction.
 - d) an undiagnosed condition.

- 8. Which of the following in the vanishing cream is used for its emollient effect
 - a) Stearic acid
 - b) KOH
- c) Glycerin
- d) Cetyl alcohol
- 9.If the product has been substituted wholly or partially by another drug, it isknown as
- a) Spurious drug
- b) Adulterated drug
- c) Misbranded drug
- d) Poisonous drug
- 10.Loss of taste sensation is side effect of following antihypertensive drug
- a) Clonidine
- b) Captopril
- c) Verapamil
- d) Prazocin
- 11. Which preservative is used in adrenalin injection
- a) Sodium bisulfate
- b) Mercuric nitrate
- c) Chloroform
- d) Alcohol
- 12.In amendments to the Drugs and Cosmetics Act 1940, How many drugs are considered in the restricted category?
 - a) 44
- b) 45
- c) 46
- d) 47
- 13. Pregabalin is indicated for the treatment of
- a) Hyperthyroidism
- b) Glaucoma
- c) Diabetic Neuropathic pain
- d) Migraine

- 14. Simethicone is
- a) Laxative
- b) Antiflatulent
- c) Antidiarrheal
- d) Antacids
- 15. Suspensions should never be administered by which of the routes?
- a) Intradermal
- b) Intravenous
- c) Subcutaneous
- d) Intramuscular
- 16. Which of the following may not be used as an additive in preparing parenteral products?

ite.

- a) Buffering agents
- b) Antibacterial preservatives
- c) Coloring agents
- d) Antioxidants
- 17.License from excise department of the state is required to stock all the following except
 - a) Rectified spirit
 - b) Morphine
 - c) Pethidine
 - d) Phenobarbitone
- 18.. Tablet coating which resist dissolution in gastric fluid but disintegrates in intestine is
 - a) Film coated
 - b) Sugar coated
 - c) Enteric coated
 - d) Dry coat
- 19. The antilepra drug is
- a) Tetracycline
- b) Rifampicin
- c) Ampicilin
- d) clindamycin

- 20. Chlorpheniramine is
 - a) local anaesthetic
 - b) anticonvulsant
 - c) antifilarial
 - d) antihistamine
- 21.L-dopa is a
 - a) Antianaemic drug
 - b) Antiparkinsonism drug
 - c) Antiarrhythmic drug
 - d) Antianginal drug
- 22. More commonly used antitussive is site.org
- a) Codeine
- b) Dexamethasone
- c) Bromhexine
- d) Gentamicin
- 23. Metoclopramide is
 - a) An antiemetic
 - b) An analgesic
 - c) An expectorant
 - d) Antipsychotic
- 24. Diethylcarbamezine is used to treat
 - a) Asthma
 - b) Epilepsy
 - c) Bilhariasis
 - d) Filiarasis
- 25. Which of the following can cause hair growth on face in females?
- a) Cyclosporine
- b) Tacrolimus
- c) Prdnisolone
- d) Azathioprine
- 26. While dispensing Tetracycline, Pharmacist should advise the patients

NOT to take the drugs along with

- a) Calcium and Iron tablets
- b) Antacids
- c) Milk & dairy products
- d) All the above

- 27.All the drugs are banned in Indian market Except
 - a) Sibutramine
 - b) Mosapride
 - c) Phenyl Propanolamine
 - d) Rosiglitazone
- 28. Propranolol is contra-indicated in
- a) Epilepsy
- b) Hyperthyroidism
- c) Bronchial Asthma
- d) Migraine
- 29.Patient taking MAO inhibitors are advised NOT to take ____ along with drug
 - a) Caffeine
 - b) Cabbage
 - c) Coumarin
 - d) Cheese
- 30. Which of the following polyols should never be used as a sweetening agent because of its severe toxicity?
 - a) Sorbitol
 - b) Glycerol
 - c) Propylene glycol
 - d) Ethylene glycol
- 31. You are asked prepare 3% ointment but your pharmacy has only 5% and 1% ointmentbases. Which one of the following combination you will make use?
 - a) 40% of 5% +60% of 1%
 - b) 50% of 5% +50% of 1%
 - c) 60% of 1% + 40% of 5%
 - d) 70% of 1% +30% of 5%
- 32. What does biennial check of pharmacy means?
 - a) once a year
 - b) twice a year
 - c) every two months
 - d) every two years
- 33. Eplerenone is a
 - a) loop diuretic
 - b) aldosterone antagonist
 - c) calcium channel blocker
 - d) cardioselective beta blocker

- 34. Which one of them is antidote for paracetamol poisoning?
 - a) penicillamine
 - b) phenacetin
- c) deferione
- d) N acetyl cysteine
- 35.Impotence occurs with use of
 - a) cimetidine
- b) sucralfate
- c) loperamide
- d) ondansterone
- 36. Which of the following cytochrome is most abundantly seen in our body?

r.e.

- a) 1A4
- b) 2A6
- c) 3A4
- d) 2C6
- 37. Which one of the following drugs is to be avoided in diarrhea?
 - a) Beta receptor blocker
- b) Alpha receptor blocker
- c) H2 receptor antagonist
- d) Muscarinic receptor antagonist
- 38. Which of the following agents is useful in treating High serum levels of Ammonia?
 - a)Glucose
- b)Galactose
- c)Lactulose
- d)Sucrose
- 39. Which one of the ratios is the best indicator of Pharmacy's Profitability?
 - a)net profit to net sales
 - b)net profit to net worth
 - c)net profit to total asset
 - d)net profit to inventory
- 40. Which of the following drugs is indicated as uterine relaxant for women in labor?
 - a) Ephedrine
- b) Terbutaline
- c) Isoetharine
- d) Metaproterenol

47. Which of the following can be used	for the treatment of Methotrexate overdose?
--	---

- a) Leucovorin
- b) voriconozole
- c) Pyridoxine
- d) cyclosporine
- 48. Which of the following drugs should not be used with Fluoxetine
- a) Promethazine
- b) Carbamazepine
- c) Bromocryptine
- d) Tranylcypromine
- 49. Heparin 25,000 U in 250 mL D5W is running through an administration set 60 drops/mL. The flow rate required to deliver a heparin dose of 15 U/min is:

e.

- a)0.9drops/min
- b) 9.0 drops/min
- c)54.0/drops/min
- d) 90.0 drops/min
- 50. The appearance of crystals in mannitol injection indicate that the product:
- a) exposure to cold
- b) settled while shipping
- c) contains impurities
- d) formulated using sterile saline
- 51. Which one of the drugs is least likely to cause electrolyte imbalance?
- a) sodium bicarbonate
- b)potassium chloride
- c)aluminium hydroxide
- d)sodium chloride
- 52. Which one should carry a label "Do not Freeze"?
- a) chlorpromazine syrup
- b) Ampicillin syurp
- c) Co trimoxazole suspension
- d) cephalosporin suspension
- 53. Which one will show nonlinear pharmocokinectics?
- a)phenytoin
- b)Lithium
- c)Quinidine
- d)carbamazepine

- 54. The antibacterial activity of phenol is increased by
- a) rise in pH
- b)rise in temperature
- c)addition of vegetable oil
- d)addition of ammonium compound
- 55. Early symptom of asprin poisoning is
- a)skin rash
- b)fluid retension
- c)throbbing headache
- d)ringing in ears
- 56 Intestinal perforation in ulcerative colitis occurs with
- a)metoclopramide
- b)methyl cellulose
- c)loperamide
- d)propanthiline
- 57. How many millmoles of potassium are there in 500 mg of Potassium chloride?

·e·

- a) 6.7
- b) 13.4
- c) 26.8
- d)40.6
- 58. What is major contraindication for use of over the counter medications containing sympathomimetic drugs?
- a) Bronchial asthma
- b) Gastric ulcer
- c) Hypertension
- d) Rheumatoid arthritis
- 59. Which antimalarial drug to be avoided in G6PDH deficiency?
- a) Chloroquine
- b) Amodiaquine
- c) Primoquine
- d) Mefloquine
- 60. Cyproheptidine belongs to which group of drugs?
- a) antihistamines
- b) antihypertensives
- c)antiepileptics
- d)antidepressants

- 61. Which one of the following drugs has anti inflammatory action?
- a) codine
- b) pethidine
- c) methadone
- d) meloxicam
- 62. The antimicrobial action of cephalosporin is
- a)inhibition of tyrosine kinase
- b)inhibition of protein synthesis
- c)inhibition of DNA synthesis
- d)inhibition of cell wall synthesis
- 63. Which one of the following is pharmacological action of Histamine?
- a) Constriction of capillaries
- b) Reduction of heart rate
- c) Gastric acid secretion
- d) Elevation of blood pressure
- 64. All the following products used in the treatment of glaucoma are applied topica EXCEPT:
- a) Xalatan
- b) Diamox
- c) Trusopt
- d) Timoptol
- 65.All are not true regarding Terazosin except
- a). constricts smooth muscle
- b) . is a selective beta-blocker
- c) increases urinary flow rate
- d). is contraindicated in prostate hyperplasia
- 66.Dipyridamole is an
- a) antiplatelet drug
- b) anti inflammatory drug
- c)antihypertensive drug
- d) antianginal drug
- 67. All the following combinations produce hazardous reaction except
- a) ergotamine and zolmitriptan
- b) warfarin and gliclazide
- c) progestrone and clindamycin
- d) captopril and spironolactone

41. Which of the following equations may be useful to find out the plasma concentration of a drug?

- a) $V_d \times P = C_p$
- b) $P \times C_p = V_d$
- c) $V_d = P/C_p$
- d) $V_d = C_p/P$

42. Heparin is classified as:

- a) Oligosaccharide
- b) Monosaccharide
- c) Homopolysacharide
- d) Heteropolysacharide

aysite.org 43. The degradation of Penicillin G Procaine is highest in:

- a) Tablet
- b) Elixir
- c) Solution
- d) Suspension

44. Sodium polystyrene sulfonate is found to lower Serum concentration of

- a) sodium
- b) potassium
- c) aluminium
- d) calcium

45. Which of the following is an HMG-COA inhibitor?

- a) Niacin
- b) Gembifrozil
- c) Cholestyramine
- d) Lovastatin

46. Which of the following drugs is known as an *inodilator*?

- a) amphetamine
- b) amphotericin
- c) ambrinone
- d) allopurinol

- 68. In order to make a generic substitution, a pharmacist must do which of the following?
- a). Notify the patient of the substitution.
- b) Charge the same or lower price for the generic.
- c). Place the brand name on the label
- d). Obtain the physician's consent
- 69. Which of the following requires the advisory label warning, "May cause drowsiness"?
- a). tegasorb
- b) indapamide
- c) cyclobenzaprine
- d) modafinil
- 70. Which of the following statements demonstrates that a patient understands the risks associated with doxorubicin?
- a) "I should avoid in pregnancy."
- b) "I may have blood in my urine."
- c). "I need to drink a lot of water."
- d) "I will have permanent hair loss.
- 71. A patient brings in a vial of cloudy regular insulin. Examination of the medication profile reveals simultaneous use of NPH and regular insulin. Which of the following is the MOST PROBABLE explanation for the cloudy appearance?
- a). The insulin has been improperly stored.
- b). The insulin has expired.
- c). The insulin has been contaminated.
- d). The insulin is expected to be cloudy
- 72. Which of the following should be reported to the prescriber indicating an adverse drug reaction to montelukast?
- a). an increase in respiratory tract infections
- b). an increased serum creatinine
- c). a decrease in libido
- d). a decreased serum albumin
- 73. Which one of the following oral medications should be administered with food?
- a). atenolol
- b). saquinavir
- c). fluconazole
- d). levofloxacin

- 74. A pharmacist calls the physician to report an increase in INR for a patient or warfarin protocol. Which one of the following drugs is MOST LIKELY to account for this observation?
- a). cefotetan
- b). ramipril
- c). digoxin
- d) pantoprazole
- 75. A patient weighs 148 lb, is to receive enoxaparin 1.5 mg/kg subcutaneously dail for 7 days. calculated the total daily dose is
- a). 80 mg
- b). 100 mg
- c). 150 mg
- d). 220 mg
- 76. All are safety techniques observed while dispensing the drugs Except
- a) Do not work on several prescriptions.
- b) Do not be pressured to rush.
- c) Do not consult the doctors
- d) Do not chat while dispensing
- 77. Idiosyncratic reactions, genetic /immunological allergic reactions are
- a) Type A Adverse reaction
- b) Type B Adverse reaction
- c) Type C Adverse reaction
- d) Type D Adverse reaction
- 78.All the drugs given below may require Therapeutic drug monitoring Except
- a) Digoxin
- b) Lithium
- c) Cyclosporin
- d) Adrenaline
- 79. Filgrastim is:
- a) Interleukin
- b) Granulocyte colony-stimulating factors
- c) Tumor necrosis factor
- d) All of the above

- 80. The branch of Pharmacology that study the inherited difference in drug response in the population/ethnic-groups is called
 - a) Clinical Pharmacology
 - b) Pharmacoeconomics
 - c) Pharmacogenomics
 - d) Ethnopharmacology
- 81. Hydroalcoholic solutions for oral use containing sugar are called
 - a) Syrups
 - b) Spirits
 - c) Tinctures
 - d) Elixirs
- 82. Creaming and coalescence may affect stability of site.
 - a) Solutions
 - b) Suspensions
 - c) Emulsions
 - d) Syrups
- 83.OTC drugs means
 - a) Drugs which need prescription for dispensing
 - b) Drugs which can be dispensed on the patient's demand
 - c) Drugs which are poison
 - d) Drugs which produce dependence
- 84. Auxiliary labels do **NOT** contain an information like
 - a) Shake well
 - b) Keep in refrigerator
 - c) For external use only
 - d) Take 1 Tablet 4 times a day for 10 days
- 85. What % of sodium chloride will be required to make 1% atropine sulfate solution isotonic? (Sodium chloride equivalent of atropine sulfate is 0.12)
 - a) 0.912%
 - b) 0.78%
 - c) 0.9%
 - d) 0.88%

- 86. Safe antiemetic drug used in morning sickness?
- a).Diphenhydramine.
- b). Meclizine
- c).Promethazine
- d). Dimenhydrinate
- 87. Local injection therapy for erectile deficiency may include
- a) Sildenafil
- b) Prazosin
- c) Yohimbine
- d) Alprostadil
- 88. QT prolongation occurs with
- a) flucloxacillin
- b) gatifloxacin
- c) gentamycin
- d) clindamycin
- 89. Which one of the following is ultrashort acting beta blocker?
- a) pindoloo
- b) esmolol
- c) sotalol
- d) propranolol
- 90. Which one of the following is effective in Pneumocysti carinae infection?
- a) ketoconozole
- b) metronidazole
- c) Co-trimoxazole
- d) fluconozole
- 91. A solid or semisolid mass meant to be inserted into body orifice is called

e.org

- a) Capsule
- b) Tablet
- c) Suppository
- d) Enema
- 92.One table spoon is equal to
 - a) 15 ml
 - b) 20 ml
 - c) 5 ml
 - d) 10 ml

- 93.1mEq of KCl (Molecular weight 74.5g) is
 - a) 37.25g
 - b) 74.5g
 - c) 74.5mg
 - d) 149mg
- 94. How many grams of water are needed to make 150g of a 4% w/w solution of potassium acetate?

org

- a) 100
- b) 130
- c) 135
- d) 144
- 95. Water for injection is
 - a) sterile water with coloring agent
 - b) Distilled water free from pyrogens
 - c) Sterile water free from pyrogens
 - d) Distilled water with coloring agent
- 96.In the prescription, the abbreviation S.O.S. indicates
 - a) before meals
 - b) need only
 - c) after meals
 - d) suppository
- 97. Which of the following factors is associated with an increased risk of noncompliance in the elderly?
 - a) Polypharmacy
 - b) Hypertension
 - c) Living with a spouse in an isolated environment
 - d) Expensive medications

98. Which equation is used to predict the stability of a drug product at ro temperature from experiments at accelerated temperatures?

- a) Stokes equation
- b) Young equation
- c) Arrhenius equation
- d) Michaelis-Menten equation

99. The dispensing pharmacist usually blends potent powders with a large amoun diluent (powder) by

- a) spatulation.
- b) sifting.
- c) trituration.
- d) geometric dilution.

100. The adult dose of a drug is 250 mg. What would be the approximate dose for year-old child weighing 60 lb? (Use Young's Formula.)

- a) 60 mg
- b) 83 mg
- c) 100 mg
- d) 125 mg